

### DECLARATION OF PERFORMANCE

(according to regulation EU No 305/2011)

Hollow Section S235-JRH

**Cold formed hollow sections  
produced from non-alloy steel  
Grade S235JRH / 1.0039 according EN 10219-1**

Cold formed steel hollow sections for general use.  
Supplied with 2.2 certification to EN 10204

**Head Office: ParkerSteel Limited  
Vauxhall Road, Canterbury  
Kent CT1 1HD**

Tel: 01227 783333

Website: www.parkersteel.co.uk

View DOP: www.parkersteel.co.uk/dop

### UKCA Marking Notified Body (No. 2273)


Steel Construction Certification Scheme  
4 Whitehall Court, Westminster  
London, SW1A 2ES

Tel: 020 7839 8566

Website: www.steelconstruction.org

System of assesment and verification of constancy of  
performance of the product:  
System 2+

Steel Construction Certificate Scheme has performed (i) intial  
inspection of the manufacturing plant and factory product  
control and (ii) continuous surveilliance, assessment and  
evaluation of factory production control and issued Factory  
Production Control certificate 2273-CPR-0025 and Welding  
Certificate 2273-CPR-0025-WC.



**Dylan Alexander**  
Managing Director  
ParkerSteel Limited

Date:  
December 2023

Essential Characteristic	Performance		Harmonised Technical Specification	
Tolerance on dimensions and shape	Round, square and rectangular hollow sections	In accordance with EN 10219-2: 2006	EN10219-1 2006	
Yield strength	Nominal thickness (mm)	Values Min (MPa)		
	>	<=		
	-	16		235
Tensile strength	Nominal thickness (mm)	Values Min (MPa)		
	<=16	min		max
		360		510
Elongation (longitudinal)	Nominal thickness (mm)	Values Min (%)		
	<=16	22		
Impact strength (longitudinal)	Grade	Nom. Thk.(mm)		Impact Value (J) at Test Temp (°C)
	JRH	<=16	27J at + 20°C	
Weldability CEV	Nominal thickness (mm)	Values Max (%)		
	<=16	0.35		
Durability	Nominal thickness (mm)	Values Max (%)		
		C: 0,18		
	<=16	Mn: 1,50		
		P: 0,030		
		S: 0,030		
		N: 0,012		
		FF deoxidation*		
Durability is also dependent on any method of protection subsequently applied and the type and thickness of the coatings				
Note: *FF - Fully killed steel containing nitrogen binding elements				



2273

Head Office: ParkerSteel Limited  
Vauxhall Road  
Canterbury  
Kent  
CT1 1HD

Hollow Section 235-JRH

EN 10219-1: 2006  
**Cold formed hollow sections  
produced from non-alloy steel  
Grade S235JRH / 1.0039 according EN 10219-1**

Cold formed steel hollow sections for general use.  
Supplied with 2.2 certification to EN 10204

Elongation:  
Tensile Strength:  
Yield Strength: EN10219-1  
Impact Strength:  
Weldability:  
Durability:  
Dangerous Substances: No Performance Determined