

Article Print c Versic	late on	AG7076351000 01.04.2025 5.2	DC Shoppr. Hydro OptiBase rotbraun Revision date 10.12.2023 EN Issue date 10.12.2023 Page 1 / 7		
SEC	TION 1: Id	entification of the	e substance/mixture and of the company/undertaking		
1.1.	Article No.	lentifier (manufacturer/suppl e/designation	lier): AG7076351000 DC Shoppr. Hydro OptiBase Reddish Brown		
1.2.		U U	ne substance or mixture and uses advised against		
	Relevant i	dentified uses			
1.3.	Details of	the supplier of the	safety data sheet		
			rter/downstream user/distributor)		
	Dr. Demuti Hillerser St D-37154 N	-	Telephone: + 49 5551 97940 Telefax: +49 5551 979430		
	Department Andreas Se E-mail	nt responsible for in chießl	nformation: A.Schiessl@dr-demuth.com		
1.4.		y telephone numbe / telephone number	er + 442071880100		
SEC	TION 2: Ha	azards identificati	ion		
2.1.	Classifica	-	ce or mixture Regulation (EC) No 1272/2008 [CLP] hazardous according to regulation (EC) No 1272/2008 [CLP].		
2.2.	Label elen <u>Labelling</u> Hazard pio	according to Regul	lation (EC) No. 1272/2008 [CLP]		
	Hazard statements not applicable				
	Precautionary statements not applicable				
Hazard components for labelling not applicable					
	Suppleme EUH208		ation s reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one ay produce an allergic reaction.		
	EUH210	Safety d	ata sheet available on request.		
2.3.	Other haz				
	No informa	tion available.			
SEC	TION 3: Co	omposition/inform	nation on ingredients		
3.2.	Mixtures				
	Descriptio	n Polimeri	sat-Dispersion		
	Hazardous	s ingredients			
			Regulation (EC) No 1272/2008 [CLP]		
	EC No. CAS No.	REACH Designa			
	Index No.		cation: // Remark		



ticle No.: int date ersion	AG707 01.04.2 5.2	76351000DC Shoppr. Hydro OptiBase rotbraun2025Revision date 10.12.2023ENIssue date 10.12.2023Page 2 / 7	
55965-8	1-0	01-2120764691-48 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and	< 0,1
613-167	-	2-methyl-2H-isothiazol-3- one (3:1)	< 0,1
		Acute Tox. 3 H301 / Acute Tox. 2 H310 / Acute Tox. 2 H330 / Skin Corr.	
		1C H314 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400	
		(M = 100) / Aquatic Chronic 1 H410 (M = 100) / EUH071	
		Specific concentration limit (SCL): Skin Corr. 1C H314 >= 0,6 / Skin Irrit. 2	
		H315 >= 0,6 / Eye Dam. 1 H318 >= 0,6 / Eye Irrit. 2 H319 >= 0,6 /	
		Skin Sens. 1A H317 >= 0,0015	

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. **Special hazards arising from the substance or mixture** Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. **Personal precautions, protective equipment and emergency procedures** Ventilate affected area.Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.



Article No.:	AG7076351000	DC Shoppr. Hydro OptiBase rotbraun	
Print date	01.04.2025	Revision date 10.12.2023	EN
Version	5.2	Issue date 10.12.2023	Page 3 / 7

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes.Do not inhale dusts, particulates and spray mist when using this preparation.When using do not eat, drink or smoke.Personal protection equipment: refer to section 8.Always keep in containers that correspond to the material of the original container.Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 5 °C and 30 °C.Protect from heat and direct sunlight.. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

not applicable

8.2. Exposure controls

Provide good ventilation.

Personal protection equipment

Respiratory protection

Do not breathe spray. Respiratory protection necessary at: spray application. Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	
Colour:	

Liquid refer to label



Odour: characteristic Odour threshold: 0.8 mg/m³ Odour threshold: 75 °C Melting point/freezing point: 75 °C Mittal boiling point and boiling range: 100 °C Method: Inertaure value Source: value Lower and upper explosion limit: not applicable Lower explosion limit: not applicable Juper explosion limit: not applicable Auto-ignition temperature: not applicable Decomposition temperature: not applicable Decomposition temperature: not applicable Viscosity at 20 °C: Tabele 658/008 / 100,0 weight-% Water solubility jies): water solubility at 20 °C: Water solubility at 20 °C: partially soluble Partition coefficient: n-octanol/water: see section 12 <th>Article Print d Versio</th> <th>ate</th> <th>AG7076351000 01.04.2025 5.2</th> <th>DC Shoppr. Hy Revision date Issue date 10.</th> <th></th> <th>EN Page 4 / 7</th>	Article Print d Versio	ate	AG7076351000 01.04.2025 5.2	DC Shoppr. Hy Revision date Issue date 10.		EN Page 4 / 7	
Melting point/freezing point: -75 °C Source: 2-butoxyethanol Initial boiling point and boiling range: Method: Initial boiling point and boiling range: Method: Flammability: not applicable Lower and upper explosion limit: book applicable Lower explosion limit: not applicable Upper explosion limit: not applicable Just not applicable Flash point: not applicable Auto-ignition temperature: not applicable Decomposition temperature: not applicable Decomposition temperature: not applicable PH at 20 °C: Method: DIN 19268 Kinematic viscosity (40°C): < 220 mm²/s Viscosity at 20 °C: antially soluble Solubility(les): method: DIN 53211 Water solubility at 20 °C: partially soluble Partition coefficient: n-octanol/water: see section 12 Ponsity and/or relative density: partially soluble Density at 20 °C: not applicable Partition coefficient: n-octanol/water: see section 12 Ponsity at 20 °C: not applicable <		Odour threshold: Melting point/freezing point: Initial boiling point and boiling range: Flammability: Lower and upper explosion limit: Lower explosion limit:			characteristic		
Source: 2-butoxyethanol Source					-75 °C		
Initial boiling point and boiling range: 100 °C Method: Method:: Method:: Water Flammability: not applicable Lower and upper explosion limit:							
Lower and upper explosion limit: Lower explosion limit: Upper explosion limit: Upper explosion limit: Upper explosion limit: Not applicableFlash point:not applicableAuto-ignition temperature:not applicableDecomposition temperature:not applicablepH at 20 °C:Tabelle 658/008 / 100,0 weight-% Method: DIN 19268Kinematic viscosity (40°C):< 220 mm²/s					100 °C Method: literature value		
Lower explosion limit: not applicable Upper explosion limit: not applicable Flash point: not applicable Auto-ignition temperature: not applicable Decomposition temperature: not applicable pH at 20 °C: Tabelle 658/008 / 100,0 weight-% Method: DIN 19268 Kinematic viscosity (40°C): < 220 mm²/s					not applicable		
Flash point:not applicableAuto-ignition temperature:not applicableDecomposition temperature:not applicablepH at 20 °C:Tabelle 658/008 / 100,0 weight-% Method: DIN 19268Kinematic viscosity (40°C):< 220 mm²/s					not applicable		
Auto-ignition temperature: not applicable Decomposition temperature: not applicable pH at 20 °C: Tabelle 658/008 / 100,0 weight-% Method: DIN 19268 Kinematic viscosity (40°C): < 220 mm²/s							
Decomposition temperature: not applicable pH at 20 °C: Tabelle 658/008 / 100,0 weight-% Method: DIN 19268 Kinematic viscosity (40°C): < 220 mm²/s		-					
Method: DIN 19268 Kinematic viscosity (40°C): < 220 mm²/s		-					
Viscosity at 20 °C: 40 s 4 mm Method: DIN 53211 Solubility(ies): partially soluble Water solubility at 20 °C: partially soluble Partition coefficient: n-octanol/water: see section 12 Vapour pressure at 20 °C: not applicable Density and/or relative density: not applicable Density at 20 °C: 1,34 g/cm³ Method: calculated. Relative vapour density: not applicable particle characteristics: not applicable 9.2. Other information Solid content: 54 weight-% Solid content: 54 weight-% Water: 2 weight-%		pH at 20 °C: Kinematic viscosity (40°C):					
Solubility(ies): Water solubility at 20 °C: partially soluble Partition coefficient: n-octanol/water: see section 12 Vapour pressure at 20 °C: not applicable Density and/or relative density: not applicable Density at 20 °C: 1,34 g/cm³ Method: calculated. Method: calculated. Relative vapour density: not applicable particle characteristics: not applicable 9.2. Other information Solid content: 54 weight-% organic solvents: 2 weight-% Water: 44 weight-%					< 220 mm²/s		
Water solubility at 20 °C: partially soluble Partition coefficient: n-octanol/water: see section 12 Vapour pressure at 20 °C: not applicable Density and/or relative density: not applicable Density at 20 °C: 1,34 g/cm³ Method: calculated. Method: calculated. Relative vapour density: not applicable particle characteristics: not applicable 9.2. Other information Solid content: 54 weight-% organic solvents: 2 weight-% Water: 44 weight-%							
Vapour pressure at 20 °C: not applicable Density and/or relative density: 1,34 g/cm³ Density at 20 °C: 1,34 g/cm³ Method: calculated. Relative vapour density: not applicable particle characteristics: not applicable 9.2. Other information Solid content: 54 weight-% organic solvents: 2 weight-% Water: 44 weight-%			•		partially soluble		
Density and/or relative density: 1,34 g/cm³ Density at 20 °C: 1,34 g/cm³ Method: calculated. Relative vapour density: not applicable particle characteristics: not applicable 9.2. Other information Solid content: 54 weight-% organic solvents: 2 weight-% Water: 44 weight-%		Partition coefficient: n-octanol/water:			see section 12		
Density at 20 °C: 1,34 g/cm³ Method: calculated. Relative vapour density: not applicable particle characteristics: not applicable 9.2. Other information Solid content: 54 weight-% organic solvents: 2 weight-% Water: 44 weight-%		Vapour pressure at 20 °C:			not applicable		
particle characteristics: not applicable 9.2. Other information 54 weight-% Solid content: 54 weight-% organic solvents: 2 weight-% Water: 44 weight-%				ty:			
9.2. Other information Solid content: 54 weight-% solvent content: 2 weight-% Organic solvents: 2 weight-% Water: 44 weight-%		Relative v	apour density:		not applicable		
Solid content:54 weight-%solvent content:Organic solvents:2 weight-%Water:44 weight-%		particle ch	naracteristics:		not applicable		
solvent content: Organic solvents: 2 weight-% Water: 44 weight-%	9.2.	Other information					
Organic solvents:2 weight-%Water:44 weight-%		Solid cont	ent:		54 weight-%		
SECTION 10: Stability and reactivity		Organic			0		
	SEC	ΓΙΟΝ 10: S	Stability and reac	tivity			

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. **Incompatible materials** not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information



Article No.:	AG7076351000	DC Shoppr. Hydro OptiBase rotbraun	
Print date	01.04.2025	Revision date 10.12.2023	EN
Version	5.2	Issue date 10.12.2023	Page 5 / 7

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself . The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties No information available.

12.7. Other adverse effects



REACH No.

Article Print c Versio	late	AG7076351000 01.04.2025 5.2	DC Shoppr. Hydro OptiBase rotbraun Revision date 10.12.2023 EN Issue date 10.12.2023 Page 6 / 7
	No informa	tion available.	
SEC	TION 13: E	Disposal conside	rations
13.1.	Appropria Recomme Do not allo disposal ac	ow to enter into surfaceording to directive	ace water or drains. This material and its container must be disposed of in a safe way. Waste 2008/98/EC, covering waste and dangerous waste. s/waste designations in accordance with EWC
	080112 Appropria Recomme Non-contai	waste p te disposal / Packa ndation minated packages n	aint and varnish other than those mentioned in 08 01 11 I ge nay be recycled. Vessels not properly emptied are special waste.
SEC		ransport informa	
			e of this transport regulation.
14.1.	UN numbe	er or ID number	not applicable
14.2.	UN proper	r shipping name	
14.3.	Transport	hazard class(es)	
14.4.	Packing g	roup	not applicable
14.5	Environm	ental hazards	not applicable
11.0.		port (ADR/RID)	not applicable
	Marine pol		not applicable
14.6.	Special pr	ecautions for user	
	case of an	always in closed, up accident or leakage a safe handling: see	
	Further in	<u>formation</u>	
	Land trans	sport (ADR/RID)	
		triction code	-
	Sea transp	port (IMDG)	
	EmS-No.		not applicable
14.7.		-	cording to IMO instruments
	No transpo	ort as bulk according	IBC - Code.
SEC	TION 15: F	Regulatory inform	nation
15.1.	Safety, he	alth and environme	ental regulations/legislation specific for the substance or mixture
	EU legisla		
	VOC-value	e (in g/L): 28,3	strial emissions [Industrial Emissions Directive]
		egulations	
	Observe er		ns under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. ment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
15.2.	Chemical	Safety Assessmen	t

15.2. Chemical Safety Assessment

Designation

For the following substances of this mixture a chemical safety assessment has been carried out:

EC I	No.		



cle No.: it date sion	AG7076351000 01.04.2025 5.2	DC Shoppr. Hydro OptiBase rotbraun Revision date 10.12.2023 Issue date 10.12.2023	EN Page 7 / 7			
CAS No.						
55965-84-9	reactio 2-meth	n mass of 5-chloro-2- methyl-2H-iso nyl-2H-isothiazol-3- one (3:1)	othiazol-3-one and 01-2120764691-48			
CTION 16: O	ther informatio	n				
Full text of	classification in	section 3:				
Acute Tox. 3	3 / H301	Acute toxicity (oral)	Toxic if swallowed.			
Acute Tox. 2	2 / H310	Acute toxicity (dermal)	Fatal in contact with skin.			
Acute Tox. 2	2 / H330	Acute toxicity (inhalative)	Fatal if inhaled.			
Skin Corr. 1	C / H314	Skin corrosion/irritation	Causes severe skin burns and eye damage.			
Eye Dam. 1	/ H318	Serious eye damage/eye irritation	Causes serious eye damage.			
Skin Sens. 1		Respiratory or skin sensitisation	May cause an allergic skin reaction.			
Aquatic Acu		Hazardous to the aquatic environment	Very toxic to aquatic organisms.			
	onic 1 / H410	Hazardous to the aquatic environment	Very toxic to aquatic life with long lasting effects.			
Abbreviatic	ons and acronym	IS				
ADR	Europe	ean Agreement concerning the Internationa	I Carriage of Dangerous Goods by Road			
OEL	Occup	ational Exposure Limit Value				
BLV	Biolog	ical Limit Value				
CAS	Chemi	al Abstracts Service				
CLP	Classi	ication, Labelling and Packaging				
CMR	Carcin	ogenic, Mutagenic and Reprotoxic				
DIN		n Institute for Standardization / German industrial standard				
DNEL	Derive	l No-Effect Level an Waste Catalogue Directive				
EAKV	Europe					
EC	Effecti	ve Concentration				
EC	Europe					
EN	Europe	ean Standard				
IATA-DGR			tional Air Transport Association – Dangerous Goods Regulations			
IBC Code	Interna	ational Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk				
ICAO-TI	Interna Goods		al Instructions for the Safe Transport of Dangerou			
IMDG Code	Interna	ational Maritime Code for Dangerous Good	3			
ISO	Interna	ational Organization for Standardization				
LC	Lethal	Concentration				
LD	Lethal	Dose				
MARPOL	Maritin	itime Pollution: The International Convention for the Prevention of Pollution from Ships				
OECD	Organi	anisation for Economic Cooperation and Development				
PBT	persist	rsistent, bioaccumulative, toxic				
PNEC	Predic	licted No Effect Concentration				
REACH		ration, Evaluation, Authorisation and Restri	ction of Chemicals			
IMDG Code		rnational Maritime Code for Dangerous Goods				
ISO	Interna	ational Organization for Standardization				
VOC		e Organic Compounds				
		ersistent and very bioaccumulative				

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.